

CLAIMS

1. An adhesive skin patch comprising: a base material; and a medicated layer provided on one surface of the base material and containing 100 parts by weight of a pressure-sensitive adhesive, 1 to 75 parts by weight of a solvent, and tulobuterol, the solvent containing an aliphatic alcohol having a branched-chain structure or a double bond in its C8 to C30 carbon chain, and the pressure-sensitive adhesive being a copolymer obtained by copolymerizing monomers containing 70% by weight or more of an alkyl(meth)acrylate whose alkyl group has 6 to 20 carbon atoms.

2. The adhesive skin patch according to claim 1, wherein the medicated layer contains 100 parts by weight of the pressure-sensitive adhesive, 1 to 75 parts by weight of the solvent, and 0.5 to 75 parts by weight of tulobuterol.

3. The adhesive skin patch according to claim 1, wherein the medicated layer contains 100 parts by weight of the pressure-sensitive adhesive, 1 to 75 parts by weight of the solvent, and 1 to 25 parts by weight of tulobuterol.

4. The adhesive skin patch according to claim 1, wherein the medicated layer contains 100 parts by weight of the pressure-sensitive adhesive, 1 to 40 parts by weight of the solvent, and 1 to 25 parts by weight of tulobuterol.

5. The adhesive skin patch according to claim 1, wherein the medicated layer contains 100 parts by weight of the pressure-sensitive adhesive, 2 to 40 parts by weight of the solvent, and 2 to 11 parts by weight of tulobuterol.

6. The adhesive skin patch according to claim 1, wherein the medicated layer contains 100 parts by weight of the pressure-sensitive adhesive, 2 to 30 parts by weight of the resolvent, and 2 to 11 parts by weight of tulobuterol.

7. The adhesive skin patch according to claim 1, wherein the resolvent is an aliphatic alcohol having a branched-chain structure in its C8 to C30 carbon chain.

8. The adhesive skin patch according to claim 1, wherein the resolvent is an aliphatic alcohol having a branched-chain structure in its C12 to C24 carbon chain.

9. The adhesive skin patch according to claim 1, wherein the resolvent is an aliphatic alcohol having a double bond in its C12 to C24 carbon chain.

10. The adhesive skin patch according to claim 1, wherein the resolvent is octyl dodecanol.

11. The adhesive skin patch according to claim 1, wherein the pressure-sensitive adhesive is a copolymer obtained by copolymerizing monomers containing 70% by weight or more of 2-ethylhexyl(meth)acrylate.

12. The adhesive skin patch according to claim 1, wherein the pressure-sensitive adhesive is a copolymer obtained by copolymerizing monomers containing 2-ethylhexyl(meth)acrylate and an alkyl(meth)acrylate whose alkyl group is linear and has 6 to 20 carbon atoms.

13. The adhesive skin patch according to claim 12, wherein the monomers contain 70 to 95% by weight of 2-ethylhexyl(meth)acrylate.

14. The adhesive skin patch according to claim 12, wherein the monomers contain 5 to 30% by weight of an alkyl(meth)acrylate whose alkyl group is linear and has 6 to 20 carbon atoms.

15. The adhesive skin patch according to claim 12, wherein the monomers contain 70 to 95% by weight of 2-ethylhexyl(meth)acrylate and 5 to 30% by weight of an alkyl(meth)acrylate whose alkyl group is linear and has 6 to 20 carbon atoms.